Key-Word Index

***Abies* spp.**
Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**
Acer negundo
Caloric values for young sprouts of nine hardwood species. **25:455**
Acer rubrum
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
Caloric values for young sprouts of nine hardwood species. **25:455**
Growth responses of northern hardwoods to fertilization. **25:597**
Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**
Acer saccharinum
Effects of shaking and shading on growth of three hardwood species. **25:212**
Acer saccharum
Growth responses of northern hardwoods to fertilization. **25:597**
Seed dormancy in sugar maple. **25:307**
acetylene reduction
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
Acid phosphatase
Acid phosphatase activity in forest soil. **25:567**
Acid rain effect
The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**
acidic substrates
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
age:age correlation
Genetic variation in volume growth of eastern white pine. **25:2**
agglomerative cluster analysis
Wood decays, root rots, and stand composition along an elevation gradient. **25:31**
air pollution
Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**
alder, red (*see* ***Alnus rubra***)
alkaline substrates
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
allelopathic effects
Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**
allelopathy
Effects of juglone on the growth of coniferous seedlings. **25:452**
Nitrification and succession in the Piedmont of North Carolina. **25:287**
Alnus rubra
Acid phosphatase activity in forest soil. **25:567**
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
ammonification
Nitrification and succession in the Piedmont of North Carolina. **25:287**
anaerobic environment
Seed dormancy in sugar maple. **25:307**
appraisal
A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**
Arceuthobium tsugense
Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**
Arceuthobium vaginatum* subsp. *cryptopodum
A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**
aspen, quaking (*see* ***Populus tremuloides***)
aspen clone deterioration
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
atrazine
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
attitudes
Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**
auxin
The occurrence of compression-wood streaks in western hemlock. **25:129**
bacteria
Nitrification and succession in the Piedmont of North Carolina. **25:287**
bark electrical resistance
Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**
bark nutrient concentration
Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**
barrier zones
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
basal area
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
basal area, maximum
A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**
basal area growth
An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**
Growth responses of northern hardwoods to fertilization. **25:597**
basal area index
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
basal area ratio predictor
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
Bayesian estimation
Continuous forest inventory using a linear filter. **25:675**
beetle, black turpentine (*see* ***Dendroctonus terebrans***)
beetle, engraver (*see* ***Ips* spp.**)
beetle, mountain pine (*see* ***Dendroctonus ponderosae***)
beetle, southern pine (*see* ***Dendroctonus frontalis***)
beetle attack
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the

Key-Word Index

***Abies* spp.**
Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**
Acer negundo
Caloric values for young sprouts of nine hardwood species. **25:455**
Acer rubrum
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
Caloric values for young sprouts of nine hardwood species. **25:455**
Growth responses of northern hardwoods to fertilization. **25:597**
Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**
Acer saccharinum
Effects of shaking and shading on growth of three hardwood species. **25:212**
Acer saccharum
Growth responses of northern hardwoods to fertilization. **25:597**
Seed dormancy in sugar maple. **25:307**
acetylene reduction
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
Acid phosphatase
Acid phosphatase activity in forest soil. **25:567**
Acid rain effect
The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**
acidic substrates
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
age:age correlation
Genetic variation in volume growth of eastern white pine. **25:2**
agglomerative cluster analysis
Wood decays, root rots, and stand composition along an elevation gradient. **25:31**
air pollution
Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**
alder, red (*see* ***Alnus rubra***)
alkaline substrates
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
allelopathic effects
Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**
allelopathy
Effects of juglone on the growth of coniferous seedlings. **25:452**
Nitrification and succession in the Piedmont of North Carolina. **25:287**
Alnus rubra
Acid phosphatase activity in forest soil. **25:567**
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
ammonification
Nitrification and succession in the Piedmont of North Carolina. **25:287**
anaerobic environment
Seed dormancy in sugar maple. **25:307**
appraisal
A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**
Arceuthobium tsugense
Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**
Arceuthobium vaginatum* subsp. *cryptopodum
A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**
aspen, quaking (*see* ***Populus tremuloides***)
aspen clone deterioration
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
atrazine
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
attitudes
Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**
auxin
The occurrence of compression-wood streaks in western hemlock. **25:129**
bacteria
Nitrification and succession in the Piedmont of North Carolina. **25:287**
bark electrical resistance
Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**
bark nutrient concentration
Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**
barrier zones
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
basal area
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
basal area, maximum
A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**
basal area growth
An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**
Growth responses of northern hardwoods to fertilization. **25:597**
basal area index
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
basal area ratio predictor
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
Bayesian estimation
Continuous forest inventory using a linear filter. **25:675**
beetle, black turpentine (*see* ***Dendroctonus terebrans***)
beetle, engraver (*see* ***Ips* spp.**)
beetle, mountain pine (*see* ***Dendroctonus ponderosae***)
beetle, southern pine (*see* ***Dendroctonus frontalis***)
beetle attack
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the

decline of 'Ōhi'a-lehua forests on the island of Hawaii. **25:187**

Lightwood induction and associated beetle attacks on slash pine. **25:80**

beetle flight predictors

Predictors of southern pine beetle flight activity. **25:217**

beetle infestations

Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:547**

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

beetle outbreaks

A method for estimating the probability of southern pine beetle outbreaks. **25:265**

Betula alleghaniensis

Growth responses of northern hardwoods to fertilization. **25:597**

Betula papyrifera

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**

bias percent

Percent bias and standard error in logarithmic regression. **25:167**

biochemical stimulus

The occurrence of compression-wood streaks in western hemlock. **25:129**

biomass

Caloric values for young sprouts of nine hardwood species. **25:455**

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25: Monogr 21**

Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**

A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**

Percent bias and standard error in logarithmic regression. **25:167**

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

biomass crown area

Foliar weight and area related to current sapwood area in oak. **25:298**

biomass production

Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**

black cottonwood (*see* ***Populus trichocarpa***)

black oak (*see* ***Quercus velutina***)

black spruce (*see* ***Picea mariana***)

black turpentine beetle (*see* ***Dendroctonus terebrans***)

black walnut (*see* ***Juglans nigra***)

blue stain development

Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**

bole crookedness

Effect of planting stock length and spacing on growth of black cottonwood. **25:439**

branch leaf weight

A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**

branch photosynthate

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**

branch weight

A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**

broadcast burning

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25: 427**

brood trees

Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:**547

bud burst

Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**

buffer strip width

Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**

burning effects

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25: 427**

cable

Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**

cadmium distribution

Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**

calcium carbonate

Nitrification and succession in the Piedmont of North Carolina. **25:287**

caloric values

Caloric values for young sprouts of nine hardwood species. **25:455**

calorimetry

Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**

cambial growth

Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**

camping effects

Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**

canopy

A method for visual estimation of leaf area. **25:53**

carbon dioxide absorption

A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**

carbon-14

A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**

^{14}C-photosynthate

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**

catenary

Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**

cedar-hemlock zone

Shrub production and bimass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

cerambycid beetle

Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ōhi'a-lehua forests on the island of Hawaii. **25:187**

Ceratocystis montia

Stimulation of resinosis and apparent inhibition of

blue stain development in ponderosa pine by paraquat. **25:569**

Cercis canadensis

Caloric values for young sprouts of nine hardwood species. **25:455**

chaparral water use

Patterns of water use by shrubs in southern California. **25:84**

charcoal

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

chemical properties

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25:427**

chestnut oak (*see* ***Quercus prinus***)

chilling

The chilling requirement of western hemlock seedlings. **25:485**

Dormancy and root growth capacity of white and sawtooth oaks. **25:491**

chromatography

Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**

Cladonia

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

classifying land units

An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**

clearcut

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

clearcutting

Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**

climatic effects

Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**

cluster analysis

An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**

Wood decays, root rots, and stand composition along an elevation gradient. **25:31**

clustering

Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**

cold hardiness

Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**

cold storage

Dormancy and root growth capacity of white and sawtooth oaks. **25:491**

Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**

compaction

Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**

compartmentalization

Barrier zones in red maple: an optical and scanning microscope examination. **25:311**

competition

Derivation of root contact probability. **25:206**

competition index

A basal area ratio predictor of loblolly pine plantation mortality. **25:275**

compression-wood streaks

The occurrence of compression-wood streaks in western hemlock. **25:129**

conifer oleoresin viscosity

Field measurement of conifer oleoresin viscosity and density. **25:543**

conifer plantations

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

conifer seedling growth

Effects of juglone on the growth of coniferous seedlings. **25:452**

constrained optimization

Implications of goal programming in forest resource allocation. **25:535**

container seedlings

The chilling requirement of western hemlock seedlings. **25:485**

continuous forest inventory

Continuous forest inventory using a linear filter. **25:675**

controlled burn effect

A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type. **25:123**

conversion kinetics

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**

conversion returns

A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**

Corsican pine (*see* ***Pinus nigra***)

cottonwood, black (*see* ***Populus trichocarpa***)

cottonwood, eastern (*see* ***Populus deltoides***)

crook, bole

Effect of planting stock length and spacing on growth of black cottonwood. **25:439**

crown class

Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**

crown competition

Size and pattern of simulated forest stands. **25:120**

Cupressus lusitanica

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

daily radial growth

Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**

decay

Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**

Wood decays, root rots, and stand composition along an elevation gradient. **25:31**

decayed wood

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

Dendroctonus brevicomus

Isozyme variations in populations of southern pine beetles. **25:197**

Dendroctonus frontalis

Isozyme variations in populations of southern pine beetles. **25:197**

A method for estimating the probability of southern pine beetle outbreaks. **25:265**

Predictors of southern pine beetle flight activity. **25:217**

Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:547**

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

Dendroctonus ponderosae

Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**

Dendroctonus terebrans

Lightwood induction and associated beetle attacks on slash pine. **25:80**

dendrograph

Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**

density index

Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**

density management diagram

Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**

diameter distribution

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

Yield prediction for unthinned natural slash pine stands. **25:25**

diameter growth

Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**

direct seeding

Litter removal impairs growth of direct-seeded Norway spruce. **25:244**

discriminant analysis

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

discriminant function

A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**

discriminant function analysis

An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**

disease, tree

Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of ʻŌhiʻa-lehua forests on the island of Hawaii. **25:187**

disease infection

Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**

distance-independent tree model

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

distribution

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

disturbed forest

Nitrate losses from disturbed forests: patterns and mechanisms. **25:605**

dominance

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

dormancy

The chilling requirement of western hemlock seedlings. **25:485**

Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**

dormancy

Dormancy and root growth capacity of white and sawtooth oaks. **25:491**

Douglas-fir (*see* ***Pseudotsuga menziesii***)

Douglas-fir plantations

Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**

dwarf mistletoe infection

Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**

dynamic models

A monthly model of the United States demand for softwood lumber imports. **25:641**

dynamic programming

Determination of optimal thinning entry interval using dynamic programming. **25:672**

Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**

early selection

Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**

East Africa

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

eastern cottonwood (*see* ***Populus deltoides***)

eastern white pine (*see* ***Pinus strobus***)

eastern white pine seed sources

Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**

econometric analysis

Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**

econometrics

A monthly model of the United States demand for softwood lumber imports. **25:644**

economic base analysis

Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**

economic impact

Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**

economics

Determination of optimal thinning entry interval using dynamic programming. **25:672**

Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**

ecosystem disturbance

Nitrate losses from distrubed forests: patterns and mechanisms. **25:605**

ectomycorrhizae

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

Ectomycorrhizal inoculation of containerized Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**

elasticities

A monthly model of the United States demand for softwood lumber imports. **25:641**

electrical impedance

Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**

electrical resistance

Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**

employment multipliers

Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**

energy production efficiency

Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**

energy values

Caloric values for young sprouts of nine hardwood species. **25:455**

engraver beetle (*see* ***Ips*** **spp.)**

environmental perception

The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**

enzymes

Acid phosphatase activity in forest soil. **25:567**

epidemiology

Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**

A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**

erosion

Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**

estimating branch weight

A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**

estimating leaf weight

A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**

estimating probability

A method for estimating the probability of southern pine beetle outbreaks. **25:265**

Eucalyptus **leaf area**

A method for visual estimation of leaf area. **25:53**

evapotranspiration

Predictors of southern pine beetle flight activity. **25:217**

even-aged stand

On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**

export base analysis

Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**

factor analysis

An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**

Fagus grandifolia

Growth responses of northern hardwoods to fertilization. **25:597**

fertilization

Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**

fertilization effect

Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**

fertilizer application

Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**

Growth responses of northern hardwoods to fertilization. **25:597**

Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**

fir (*see* ***Abies*** **spp.)**

fire damage-potential

An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**

fire ecology

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25: Monogr 21**

fire effects

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25: 427**

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25: Monogr 21**

fixation patterns

Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**

foliage analysis

Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**

foliage nutrient concentration

Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**

foliage sampling

Nutrient composition of sycamore blades, petioles, and whole leaves. **25:154**

foliar analysis

Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**

Litter removal impairs growth of direct-seeded Norway spruce. **25:244**

Nutrient composition of sycamore blades, petioles, and whole leaves. **25:154**

foliar area

Foliar weight and area related to current sapwood area in oak. **25:298**

foliar weight

Foliar weight and area related to current sapwood area in oak. **25:298**

forest disease

Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**

forest esthetics

The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**

forest inventory

Continuous forest inventory using a linear filter. **25:675**

forest landowner perceptions

The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**

forest modeling

Size and pattern of simulated forest stands. **25:120**

forest regeneration

Ectomycorrhizal inoculation of containerized Doug-

las-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**

forest resource allocation

Implications of goal programming in forest resource allocation. **25:535**

forest soils

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25:427**

forest tundra

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

forest type microbiology

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

Fraxinus pennsylvanica

Caloric values for young sprouts of nine hardwood species. **25:455**

freezing resistance

Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**

fuelwood

Caloric values for young sprouts of nine hardwood species. **25:455**

functional models

Yield prediction for unthinned natural slash pine stands. **25:25**

gas-liquid chromatography

Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**

genetic gain

Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**

genetic variation

Genetic variation in volume growth of eastern white pine. **25:2**

Isozyme variations in populations of southern pine beetles. **25:197**

genotype × environment interaction

Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**

geographic variation

Isozyme variations in populations of southern pine beetles. **25:197**

germination

The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

Seed dormancy in sugar maple. **25:307**

goal programming

Implications of goal programming in forest resource allocation. **25:535**

gopher, pocket (*see* ***Thomomys mazama***)

ground cover vegetation

Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**

growth

Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**

Effect of planting stock length and spacing on growth of black cottonwood. **25:439**

Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**

Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures. **25:145**

growth estimation

An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**

growth impairment

Litter removal impairs growth of direct-seeded Norway spruce. **25:244**

growth responses

Growth responses of northern hardwoods to fertilization. **25:597**

gum naval stores

Field measurement of conifer oleoresin viscosity and density. **25:543**

gypsy moth defoliation

A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**

gypsy moth habitat

A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**

habitat type

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

hardwood growth response

Growth responses of northern hardwoods to fertilization. **25:597**

Hawaii

Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ōhi'a-lehua forests on the island of Hawaii. **25:187**

hazard index

A method for estimating the probability of southern pine beetle outbreaks. **25:265**

height distribution

Yield prediction for unthinned natural slash pine stands. **25:25**

height growth

Effects of shaking and shading on growth of three hardwood species. **25:212**

hemlock, western (*see* ***Tsuga heterophylla***)

herbicide application

Lightwood induction and associated beetle attacks on slash pine. **25:80**

herbicides

Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**

housing cycle

A monthly model of the United States demand for softwood lumber imports. **25:641**

humus

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

income multipliers

Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**

incubation experiments

Nitrification and succession in the Piedmont of North Carolina. **25:287**

index of suppression

An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**

indirect selection
Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**
infection indicators
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
inhibitors
Seed dormancy in sugar maple. **25:307**
inoculum index
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
input-output models
Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**
interplant transfer
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
inventory
Continuous forest inventory using a linear filter. **25:675**
***Ips* spp.**
Lightwood induction and associated beetle attacks on slash pine. **25:80**
irrigated plantations
Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**
isozyme variations
Isozyme variations in populations of southern pine beetles. **25:197**
jack pine (*see* ***Pinus banksiana***)
Juglans nigra
Effects of juglone on the growth of coniferous seedings. **25:452**
Effects of shaking and shading on growth of three hardwood species. **25:212**
juglone
Effects of juglone on the growth of coniferous seedlings. **25:452**
juniper, western (*see* ***Juniperus occidentalis***)
Juniperus occidentalis
Acid phosphatase activity in forest soil. **25:567**
juvenile-mature correlations
Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**
Kalman filter
Continuous forest inventory using a linear filter. **25:675**
labile products
Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**
laminated root rot
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
land classification
An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**
land management planning
Implications of goal programming in forest resource allocation. **25:535**
land-use planning
An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**
landowner esthetic perceptions
The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**
landscape management
The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**
Larix leptolepis
Effects of juglone on the growth of coniferous seedlings. **25:452**
latitude effect
Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures. **25:145**
leaf area
Foliar weight and area related to current sapwood area in oak. **25:298**
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
leaf area estimation
A method for visual estimation of leaf area. **25:53**
leaf conductance
Patterns of water use by shrubs in southern California. **25:84**
leaf morphology
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
leaf photosynthate
Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**
leaf weight
Foliar weight and area related to current sapwood area in oak. **25:298**
A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**
lichen
Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**
light adaptation
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
light effect
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
lightwood induction
Lightwood induction and associated beetle attacks on slash pine. **25:80**
linear filter
Continuous forest inventory using a linear filter. **25:675**
linear programming
Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**
Implications of goal programming in forest resource allocation. **25:535**
Liquidambar styraciflua
Caloric values for young sprouts of nine hardwood species. **25:455**
Effects of shaking and shading on growth of three hardwood species. **25:212**
Liriodendron tulipifera
Caloric values for young sprouts of nine hardwood species. **25:455**
litter
Comparative distribution of ectomcorrhizae in soils of three western Montana forest habitat types. **25: 350**

litter removal
Litter removal impairs growth of direct-seeded Norway spruce. **25:244**
loblolly pine (*see Pinus taeda*)
lodgepole pine (*see Pinus contorta*)
logarithmic regression
Percent bias and standard error in logarithmic regression. **25:167**
logging cost premium
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
logging treatment
Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**
lumber demand
A monthly model of the United States demand for softwood lumber imports. **25:641**
Lymantria dispar
A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**
management regimes
Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**
maple, red (*see Acer rubrum*)
maple, sugar (*see Acer saccharum*)
Markov process
On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**
mathematical analysis
Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**
mathematical model
Foliar weight and area related to current sapwood area in oak. **25:298**
metal toxicity
Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**
Metrosideros collina
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ōhi'a-lehua forests on the island of Hawaii. **25:187**
microscope examination
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
mine wastes
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
mineral cycling
Nitrate losses from disturbed forests: patterns and mechanisms. **25:605**
mineral nutrition
Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**
mistletoe, southwestern dwarf (*see Arceuthobium vaginatum* **subs.** *cryptopodum*)
model
Derivation of root contact probability. **25:206**
A model for estimating branch weight and branch leaf weight in biomass studies. **25:303**
model, distance-independent
A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**
model, intensification
A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**
model, spread
A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**
modeling
Size and pattern of simulated forest stands. **25:120**
models
Yield prediction for unthinned natural slash pine stands. **25:25**
moisture stress
Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**
monoterpenes
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**
Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**
monthly model
A monthly model of the United States demand for softwood lumber imports. **25:641**
morphology
Controlled moisture stress to improve cold hardiness and morphlogy of Douglas-fir seedlings. **25:576**
mortality
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
mountain pine beetle (*see Dendroctonus ponderosae*)
mountain site
Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**
multivariate analysis
Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**
multivariate statistics
An application of multivariate statistics to land-use planning: classifying land units into homogeneous zones. **25:399**
mycorrhizae
Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**
natural regeneration
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
necrosis virus
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
needle age effect
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
needle CO_2 absorption
A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**
net energy
Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**
net primary productivity
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
nitrate loss
Nitrate losses from disturbed forests: patterns and mechanisms. **25:605**
nitrification
Nitrification and succession in the Piedmont of North Carolina. **25:287**

nitrogen
Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**
Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**
Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
nitrogen cycling
Nitrification and succession in the Piedmont of North Carolina. **25:287**
nitrogen fixation
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
nitrogen mineralization
Nitrate losses from distrubed forests: patterns and mechanisms. **25:605**
nonpoint source control
Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**
northeastern species
The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**
northwestern species
The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**
Norway spruce (*see* ***Picea abies***)
nurserybed traits
Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**
nutrient budget
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
nutrient composition
Nutrient composition of sycamore blades, petioles, and whole leaves. **25:154**
nutrient concentration
Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**
Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**
nutrient content
Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**
nutrient cycling
Determining sample size in throughfall studies. **25:582**
Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**
Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder. **25:371**
nutrient deficiency
Litter removal impairs growth of direct-seeded Norway spruce. **25:244**
nutrient dynamics
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
nutrient status
Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25:427**
nutrient transfer
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
oak, black (*see* ***Quercus velutina***)
oak, chestnut (*see* ***Quercus prinus***)
oak, pin (*see* ***Quercus palustris***)
oak, red (*see* ***Quercus rubra***)
oak, sawtooth (*see* ***Quercus acutissima***)
oak, white (*see* ***Quercus alba***)
oak stand susceptibility
A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**
ohia (*see* ***Metrosideros collina***)
'Ōhi'a-lehua forest
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ōhi'a-lehua forests on the island of Hawaii. **25:187**
oleoresin characteristics
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**
oleoresin field measurement
Field measurement of conifer oleoresin viscosity and density. **25:543**
oleoresin production
Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**
oleoresin viscosity
Field measurement of conifer oleoresin viscosity and density. **25:543**
operations research
Implications of goal programming in forest resource allocation. **25:535**
optimal thinning time
Determination of optimal thinning entry interval using dynamic programming. **25:672**
optimization
Implications of goal programming in forest resource allocation. **25:535**
optimizing thinning
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
ordination
Wood decays, root rots, and stand composition along an elevation gradient. **25:31**
organic matter
Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**
owner attitudes
Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**
paraquat
Lightwood induction and associated beetle attacks on slash pine. **25:80**
Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**
partial cut
Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**
permeability
Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25:427**
pH
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
Phellinus weirii
Derivation of root contact probability. **25:206**

Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**

phenology

Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**

phosphatase

Acid phosphatase activity in forest soil. **25:567**

phosphorus

Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**

phosphorus uptake

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

photoperiod

Dormancy and root growth capacity of white and sawtooth oaks. **25:491**

photosynthate movement

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**

photosynthesis measurement

A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**

Phytophthora cinnamomi

Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ohi'a-lehua forests on the island of Hawaii. **25:187**

phytotoxicity

Phytotoxicity and distribution of cadmium in pin oak seedling determined by mode of entry. **25:328**

phytotoxins

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

Picea abies

Effects of juglone on the growth of coniferous seedlings. **25:452**

Litter removal impairs growth of direct-seeded Norway spruce. **25:244**

Picea glauca

Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

Picea mariana

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

Picea sitchensis

Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures. **25:145**

pin oak (*see* ***Quercus palustris***)

pine, Corsican (*see* ***Pinus nigra***)

pine, eastern white (*see* ***Pinus strobus***)

pine, jack (*see* ***Pinus banksiana***)

pine, loblolly (*see* ***Pinus taeda***)

pine, lodgepole (*see* ***Pinus contorta***)

pine, pitch (*see* ***Pinus rigida***)

pine, ponderosa (*see* ***Pinus ponderosa***)

pine, slash (*see* ***Pinus elliottii***)

pine beetle flight activity

Predictors of southern pine beetle flight activity. **25:217**

pine stand yield prediction

Yield prediction for unthinned natural slash pine stands. **25:25**

Pinus banksiana

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**

Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**

Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

Pinus contorta

Acid phosphatase activity in forest soil. **25:567**

Ectomycorrhizal inoculation of containerized Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

Pinus echinata

Field measurement of conifer oleoresin viscosity and density. **25:543**

Isozyme variations in populations of southern pine beetles. **25:197**

Pinus elliottii

An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**

Lightwood induction and associated beetle attacks on slash pine. **25:80**

Pinus nigra

A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**

Pinus patula

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

Pinus ponderosa

Acid phosphatase activity in forest soil. **25:567**

Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**

A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type. **25:123**

Isozyme variations in populations of southern pine beetles. **25:197**

A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine. **25:43**

Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**

Pinus radiata

A distance-independent tree model for exotic conifer plantations in East Africa. **25:59**

Pinus rigida

Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**

Pinus strobus

Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**

Effects of juglone on the growth of coniferous seedlings. **25:452**

Genetic variation in volume growth of eastern white pine. **25:2**

Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**

Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**

Pinus sylvestris
Effects of juglone on the growth of coniferous seedlings. **25:452**
Pinus taeda
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**
Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil. **25:169**
Field measurement of conifer oleoresin viscosity and density. **25:543**
Isozyme variations in populations of southern pine beetles. **25:197**
Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:547**
Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations. **25:270**
Pisolithus tinctorius
Ectomycorrhizal inoculation of containerized Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**
Pissodes strobi
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**
pitch pine (*see* ***Pinus rigida***)
Plagithmysus bilineatus
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of ʻŌhiʻa-lehua forests on the island of Hawaii. **25:187**
plantation release
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
plantation mortality
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
plantation yield
An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**
plantations for energy
Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**
planting location
Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**
planting method
Effect of planting stock length and spacing on growth of black cottonwood. **25:439**
planting stock length
Effect of planting stock length and spacing on growth of black cottonwood. **25:439**
Platanus occidentalis
Caloric values for young sprouts of nine hardwood species. **25:455**
Nutrient composition of sycamore blades, petioles, and whole leaves. **25:154**
pocket gopher (*see* ***Thomomys mazama***)
Poisson distribution
On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**
pollen reliability
Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations. **25:270**
pollen testing
Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations. **25:270**
pollution
Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**
ponderosa pine (*see* ***Pinus ponderosa***)
ponderosa pine type
A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type. **25:123**
poplar (*see* ***Populus deltoides***)
Populus
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
Populus deltoides
Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**
Populus tremuloides
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
Populus trichocarpa
Effect of planting stock length and spacing on growth of black cottonwood. **25:439**
***Populus* 'Tristis #1'**
Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**
Poria weirii
Derivation of root contact probability. **25:206**
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
Porthetria dispar (*see* *Lymantria dispar*)
potassium
Effect of fertilization on nutrient concentrations of white spruce foliage and bark. **25:115**
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
predicting radial growth
Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**
private forest landowner
The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**
probability
A method for estimating the probability of southern pine beetle outbreaks. **25:265**
progeny test
Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**
proportional stem mortality
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
protection wood
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
provenance
Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**
Genetic variation in volume growth of eastern white pine. **25:2**
Prunus serotina
Caloric values for young sprouts of nine hardwood species. **25:455**

Pseudotsuga menziesii
Acid phosphatase activity in forest soil. **25:567**
Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**
Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**
Derivation of root contact probability. **25:206**
Ectomycorrhizal inoculation of containerized Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**
Effects of provenance, years, and planting location on bud burst of Douglas-fir. **25:161**
A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles. **25:72**
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**
Specific leaf area of Douglas-fir reproduction as affected by light and needle age. **25:183**
Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**
quaking aspen (*see* ***Populus tremuloides***)
quality premium
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
***Quercus* spp.**
A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**
Quercus acutissima
Dormancy and root growth capacity of white and sawtooth oaks. **25:491**
Quercus alba
Dormancy and root growth capacity of white and sawtooth oaks. **25:491**
Foliar weight and area related to current sapwood area in oak. **25:298**
Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**
Quercus nigra
Caloric values for young sprouts of nine hardwood species. **25:455**
Quercus palustris
Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry. **25:328**
Quercus prinus
Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**
Quercus rubra
Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine. **25:282**
Quercus velutina
Foliar weight and area related to current sapwood area in oak. **25:298**
radial growth
Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site. **25:232**
recreation
Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**
red alder (*see* ***Alnus rubra***)
red maple (*see* ***Acer rubrum***)
red oak (*see* ***Quercus rubra***)
redcedar, western (*see* ***Thuja plicata***)
regression, logarithmic
Percent bias and standard error in logarithmic regression. **25:167**
reindeer-moss (*see* ***Cladonia***)
resin acids
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**
resinosis stimulation
Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat. **25:569**
revegetation
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**
risk rating
A method for estimating the probability of southern pine beetle outbreaks. **25:265**
rodent control
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
root competition
Size and pattern of simulated forest stands. **25:120**
root contact probability
Derivation of root contact probability. **25:206**
root fungus
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of ʻŌhiʻa-lehua forests on the island of Hawaii. **25:187**
root grafting
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
root growth capacity
Dormancy and root growth capacity of white and sawtooth oaks. **25:491**
root rot
Derivation of root contact probability. **25:206**
Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington. **25:261**
Wood decays, root rots, and stand composition along an elevation gradient. **25:31**
root-shoot ratio
Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**
root systems
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
rotation
Determination of optimal thinning entry interval using dynamic programming. **25:672**
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
sample number
Determining sample size in throughfall studies. **25:582**
sample size
Determining sample size in throughfall studies. **25:582**
sampling with partial replacement

Continuous forest inventory using a linear filter. **25:675**

sapwood area

Foliar weight and area related to current sapwood area in oak. **25:298**

sawtooth oak (*see* ***Quercus acutissima***)

scenic quality

The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**

seasonal beetle flight

Predictors of southern pine beetle flight activity. **25:217**

seasonal photosynthate changes

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**

seed dormancy

Seed dormancy in sugar maple. **25:307**

seed origin

Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**

seed set

Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations. **25:270**

seed source

Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**

seed storage

Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**

seed viability

Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**

seed weight

Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**

seed zones

Genetic variation in volume growth of eastern white pine. **25:2**

seedcoat terpenoids

Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**

seedling emergence

The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**

seedling growth

Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings. **25:576**

The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**

Germination and early seedling growth of four conifers on acidic and alkaline substrates. **25:358**

seedling inoculation

Ectomycorrhizal inoculation of containerize Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius*. **25:585**

seedling production

The chilling requirement of western hemlock seedlings. **25:485**

seedling selection

Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test. **25:591**

shading effect

Effects of shaking and shading on growth of three hardwood species. **25:212**

shaking effect

Effects of shaking and shading on growth of three hardwood species. **25:212**

short-rotation forestry

Caloric values for young sprouts of nine hardwood species. **25:455**

shrub production

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

shrub water use

Patterns of water use by shrubs in southern California. **25:84**

silvicultural soil loss

Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**

silviculture

Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:547**

simulated forest stands

Size and pattern of simulated forest stands. **25:120**

simulation

Size and pattern of simulated forest stands. **25:120**

site conditions

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

site deterioration

Nitrate losses from disturbed forests: patterns and mechanisms. **25:605**

site index

Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures. **25:145**

site preparation

Litter removal impairs growth of direct-seeded Norway spruce. **25:244**

Sitka spruce (*see* ***Picea sitchensis***)

skyline logging system

Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**

slack-pulling forces

Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**

slash pine (*see* ***Pinus elliottii***)

social benefits

Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**

social costs

Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities. **25:317**

softwood lumber imports

A monthly model of the United States demand for softwood lumber imports. **25:641**

soil acid phosphatase

Acid phosphatase activity in forest soil. **25:567**

soil bacteria

Nitrification and succession in the Piedmont of North Carolina. **25:287**

soil burn effects

Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25:427**

soil compaction

Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**

soil fertility

A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type. **25:123**

soil loss control

Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**

soil microbiology

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types. **25:350**

soil moisture

Patterns of water use by shrubs in southern California. **25:84**

solar energy

Caloric values for young sprouts of nine hardwood species. **25:455**

southern pine beetle (*see* ***Dencroctonus frontalis***)

southern pine beetle susceptibility

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

spatial heterogeneity

Size and pattern of simulated forest stands. **25:120**

spatial pattern

On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**

spacing effect

Effect of planting stock length and spacing on growth of black cottonwood. **25:439**

specific volume growth

Growth responses of northern hardwoods to fertilization. **25:597**

split roots

Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**

sprout biomass

Caloric values for young sprouts of nine hardwood species. **25:455**

spruce, black (*see* ***Picea mariana***)

spruce, Norway (*see* ***Picea abies***)

spruce, Sitka (*see* ***Picea sitchensis***)

spruce, white (*see* ***Picea glauca***)

stand composition

Wood decays, root rots, and stand composition along an elevation gradient. **25:31**

stand conditions

Southern pine beetle: factors influencing the growth and decline of summer infestations in East Texas. **25:547**

Stand and site conditions related to southern pine beetle susceptibility. **25:656**

stand density management

Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**

stand spatial pattern

On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**

stand yield

Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**

standard error

Percent bias and standard error in logarithmic regression. **25:167**

stem dimensional fluctuations

Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**

stem-foliar relationship

Foliar weight and area related to current sapwood area in oak. **25:298**

stem impedance

Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**

stem movement

Effects of shaking and shading on growth of three hardwood species. **25:212**

stem shrinkage

Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**

stochastic model

On the convergence of forest stand spatial pattern over time: the case of random initial spatial pattern. **25:445**

stochastic optimal control

Continuous forest inventory using a linear filter. **25:675**

stress stimulus

The occurrence of compression-wood streaks in western hemlock. **25:129**

structural features

A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation. **25:468**

stumpage valuation model

A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**

succession

Nitrification and succession in the Piedmont of North Carolina. **25:287**

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**

Wood decays, root rots, and stand composition along an elevation gradient. **25:31**

sugar maple (*see* ***Acer saccharum***)

sulfur requirements

Sulfur requirements of nitrogen fertilized Douglas-fir. **25:461**

sulfuric acid

The effect of simulated acid rain on seedling emergence and growth of eleven woody species. **25:393**

suppression index

An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**

survival

Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**

Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**

sycamore (*see* ***Platanus occidentalis***)

sycamore leaf parts

Nutrient composition of sycamore blades, petioles, and whole leaves. **25:154**

taiga

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce. **25:256**

temperature effect

Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**

Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures. **25:145**

terpenoids
Analysis of terpenoids from seedcoats as a means of identifying seed origin. **25:20**
thinning
Analyzing slack-pulling forces in manually operated skyline logging systems. **25:475**
thinning intervals
Determination of optimal thinning entry interval using dynamic programming. **25:672**
thinning response
An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**
Thomomys mazama
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
three-descriptor model
Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth. **25:665**
throughfall studies
Determining sample size in throughfall studies. **25:582**
Thuja plicata
Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**
timber industry effect
Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**
timber value estimating
A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**
tobacco necrosis virus
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
trade
A monthly model of the United States demand for softwood lumber imports. **25:641**
trampling
Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**
translocation
Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak. **25:361**
tree disease
Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of ʻŌhiʻa-lehua forests on the island of Hawaii. **25:187**
tree quality
Effect of planting stock length and spacing on growth of black cottonwood. **25:439**
tree size
Stand density management: an alternative approach and its application to Douglas-fir plantations. **25:518**
tree virus dieback
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
tritiated water
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
Tsuga heterophylla
The chilling requirement of western hemlock seedlings. **25:485**
Development of dwarf mistletoe infections on western hemlock in coastal Oregon. **25:237**
The occurrence of compression-wood streaks in western hemlock. **25:129**
Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho. **25:415**
understory vegetation
Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park. **25:333**
vacuum effect
Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage. **25:112**
valuation
A technique for estimating timber value based on tree size, management variables, and market conditions. **25:620**
vegetation reproduction
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
vegetative competition
Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers. **25:99**
viability tests
Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations. **25:270**
virus identification
Identification of tobacco necrosis virus in deteriorating clones of aspen. **25:557**
visual estimation
A method for visual estimation of leaf area. **25:53**
volume distribution
Yield prediction for unthinned natural slash pine stands. **25:25**
volume growth
Genetic variation in volume growth of eastern white pine. **25:2**
Growth responses of northern hardwoods to fertilization. **25:597**
walnut, black (*see* ***Juglans nigra***)
water pollution
Economic impacts of controlling soil loss from silvicultural activities in East Texas. **25:627**
water potential
Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage. **25:507**
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
water storage
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
water transfer
Water and mineral nutrient transfer between root systems of juvenile *Populus*. **25:247**
water use
Patterns of water use by shrubs in southern California. **25:84**
weather
Predictors of southern pine beetle flight activity. **25:217**
weevil resistance
Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance. **25:175**

Weibull distribution
A basal area ratio predictor of loblolly pine plantation mortality. **25:275**
Yield prediction for unthinned natural slash pine stands. **25:25**
weight equations
Percent bias and standard error in logarithmic regression. **25:167**
western hemlock (*see Tsuga heterophylla*)
western juniper (*see Juniperus occidentalis*)
western redcedar (*see Thuja plicata*)
wettability
Broadcast burning: 25-year effects on forest soils in the western flank of the Cascade mountains. **25: 427**
white oak (*see Quercus alba*)
white spruce (*see Picea glauca*)
whole-tree utilization
Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine. **25:383**
wilderness ecology
Early revegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. **25:Monogr 21**
wildfire effect
A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type. **25:123**
wood decay
Wood decays, root rots, and stand composition along an elevation gradient. **25:31**
wood processing sector multipliers
Estimation of "small area" multipliers for the wood processing sector—an econometric approach. **25:7**
woodland attractiveness
The attractiveness of woodlands: perceptions of forest landowners in Massachusetts. **25:495**
wound barrier zones
Barrier zones in red maple: an optical and scanning microscope examination. **25:311**
xylem pressure potential
Patterns of water use by shrubs in southern California. **25:84**
Stem dimensional fluctuations in Douglas-fir of different crown classes. **25:132**
yield estimation
An approximation of basal area growth after thinning based on growth in unthinned plantations. **25:223**
yield prediction
Yield prediction for unthinned natural slash pine stands. **25:25**

Author Index[1]

ABOUGUENDIA, ZOHEIR M., **25: 358**
ALDER, DENIS, **25:59**
ALWARD, GREGORY S., **25:535**
ASHBY, W. CLARK, **25:212**
AUCLAIR, DANIEL, **25:72**
BARTLE, G. A., **25:53**
BENNETT, F. A., **25:25**
BERG, ALAN, **25:183**
BESTE, B., **25:361**
BEZDICEK, D. F., **25:371**
BICKELHAUPT, DONALD H., **25: 244**
BILLINGS, RONALD F., **25:547**
BLAKE, JOHN, **25:576**
BOZARTH, ROBERT F., **25:557**
BRENNAN, EILEEN, **25:328**
BRIDGEN, M. R., **25:175**
BRIDGWATER, FLOYD, **25:270**
BRODIE, J. DOUGLAS, **25:665; 25:672**
BRUSH, ROBERT O., **25:495**
BUONGIORNO, JOSEPH, **25:641**
BURKHART, H. E., **25:265**
CAIN, MICHAEL D., **25:656**
CARBON, B. A., **25:53**
CARPENTER, L. R., **25:237**
CASE, PAULA J., **25:452**
CHEUNG, K-W., **25:507**
CHING, K. K., **25:161**
CHOU, JIEH-JEN, **25:641**
CHRISTENSEN, NORMAN L., **25: 287**
CLEVELAND, G. D., **25:80**
CONNAUGHTON, KENT P., **25:7**
CRAGG, J. B., **25:58** (rev.)
CRIM, SARAH A., **25:535**
CROUCH, GLENN L., **25:99**
CROW, THOMAS R., **25:382** (rev.)
DANIELS, R. F., **25:265**
DAVIS, WESTON, **25:282**
DEL RIO, ERNEST, **25:183**
DELL, T. R., **25:217**
DICKSON, RICHARD E., **25:247**
DIXON, BRUCE L., **25:675**
DIXON, GARY E., **25:43**
DRESS, PETER, **25:445**
DREW, T. JOHN, **25:518**
DYER, A. ALLEN, **25:535**
EAKLE, THOMAS W., **25:123**
EK, ALAN R., **25:303**
EKUAN, GORDEN, **25:439**
ELAM, WILLIAM W., **25:543**
FARMER, R. E., JR., **25:491**
FARR, WILBUR A., **25:145**
FILIP, GREGORY M., **25:261**
FISHER, R. F., **25:256**
FLEWELLING, JAMES W., **25:518**
FOSTER, G. SAM, **25:270**
FUNK, DAVID T., **25:2; 25:452**
GESSEL, STANLEY P., **25:461**
GLOVER, GLENN R., **25:275**
GOLDMAN, S. E., **25:80**
GRIGAL, DAVID F., **25:Monogr 21**
HAFLEY, W. L., **25:25**
HAINES, L. WAYNE, **25:154; 25: 169**
HAINES, SHARON G., **25:154; 25: 169**
HANOVER, J. W., **25:175**
HANSEN, EDWARD A., **25:247**
HARNER, E. JAMES, **25:167**
HARRIS, A. S., **25:145**
HARVEY, A. E., **25:350**
HAWKSWORTH, FRANK G., **25:43**
HEDDEN, ROY L., **25:547**
HEE, STEPHEN, **25:576**
HEILMAN, PAUL E., **25:371; 25: 439**
HENDRICKS, THOMAS R., **25:212**
HERMANN, RICHARD K., **25:349** (rev.); **25:427; 25:534** (rev.)
HIBBEN, CRAIG R., **25:557**
HICKMAN, CLIFFORD A., **25:627**
HICKS, R. R., **25:265**
HINCKLEY, THOMAS M., **25:298**
HO, IWAN, **25:567**
HOBBS, STEPHEN D., **25:31**
HODGES, JOHN D., **25:543**
HOF, JOHN GERRIT, **25:535**
HOFFMAN, M. K., **25:333**
HOOL, JAMES N., **25:275**
HOUSTON, DAVID R., **25:468**
HOWITT, RICHARD E., **25:675**
IFF, R. H., **25:475**
IRWIN, LARRY L., **25:415**
JACKSON, BEN D., **25:627**
JACKSON, DAVID H., **25:620**
JAMES, T. D. W., **25:333**
JANERETTE, CAROL A., **25:307**
JURGENSEN, M. F., **25:350**
KAO, CHIANG, **25:665; 25:672**
KELLOGG, R. M., **25:129**
KELLY, JAMES W., **25:535**
KENT, BRIAN M., **25:445**
KIDD, FRANK, **25:569**
KLIEJUNAS, JOHN T., **25:187**
KOELLING, HAROLD A., **25:643**
KOLAR, CLAY A., **25:212**

[1] (rev.) = book review

KRAEMER, JAMES F., 25:427
KRAHMER, ROBERT L., 25:444 (rev.)
KUSHMAUL, RONALD J., 25:656
LAMBERT, MARCIA J., 25:461
LANGENAU, EDWARD E., JR., 25:317
LARSEN, M. J., 25:350
LASSOIE, JAMES P., 25:132
LAVENDER, DENIS P., 25:485
LEA, R., 25:597
LEAF, ALBERT L., 25:244; 25:597
LEE, JEFFREY J., 25:393
LEUSCHNER, W. A., 25:265
LEVINE, RALPH L., 25:317
MCCONARTHY, R. K., 25:361
MCKILLOP, WILLIAM, 25:7
MACKINTOSH, E. E., 25:333
MCLAUGHLIN, S. B., 25:361
MCQUILLAN, ALAN G., 25:620
MELILLO, JERRY M., 25:605
MILLER, PHILIP C., 25:84
MOLINA, RANDY, 25:585
MONTES, RUBEN A., 25:287
MONTI, P., 25:333
MOSER, J. C., 25:217
MULHERN, J., 25:311
MURPHY, JAMES L., 25:399
MURRAY, A. M., 25:53
NAMKOONG, G., 25:197
NEENAN, M., 25:455
NELSEN, E. E., 25:237
NELSON, ERIC A., 25:485
NORRIS, LOGAN A., 25:203 (rev.)
NUNNALLY, L. B., 25:197
NYLAND, RALPH D., 25:244
OHMANN, LEWIS F., 25:Monogr 21
OMI, PHILIP N., 25:399
PAPP, RICHARD P., 25:187
PARKER, J. A., 25:80
PARTRIDGE, ARTHUR D., 25:31
PEEK, JAMES M., 25:415
PETERSON, D. L., 25:582
PHARES, ROBERT E., 25:212; 25:452
PIENAAR, L. V., 25:223
POOLE, DENNIS K., 25:84
PORTERFIELD, RICHARD L., 25:656
RAUSCHER, HARALD M., 25:232
REDMANN, ROBERT E., 25:358
REESE, JUDITH, 25:557
REID, C. P. P., 25:569
RIETVELD, W. J., 25:452
ROBERDS, J. H., 25:197
ROBINSON, JOHN F., 25:591
ROGERS, ROBERT, 25:298
ROLFE, G. L., 25:582
ROWELL, CHARLES E., 25:656
RUSSO, FRANK, 25:328
SCHARPF, ROBERT F., 25:187
SCHMITT, CRAIG L., 25:265
SCHREUDER, H. T., 25:25
SENTER, PETER, 25:20
SHIGO, ALEX, 25:282; 25:311
SHORTLE, W., 25:311
SHUGART, H. H., 25:120
SMITH, D. W., 25:333
SMITH, DAVID WM., 25:232
SMITH, RICHARD S., 25:187
SNAJBERK, KAREL, 25:20
STARK, NELLIE M., 25:484 (rev.)
STEINBECK, K., 25:455
STEWART, J. L., 25:237
STONE, ROBERT N., 25:641
TAUER, C. G., 25:112
THOMAS, H. A., 25:197
THOMSON, A. J., 25:206
TIERSON, W. C., 25:597
TIMMER, V. R., 25:115
TRIPP, L. N., 25:371
TURNER, JOHN, 25:461
VALENTINE, HARRY T., 25:468
VAN BUIJTENEN, J. P., 25:591
VAN DEN DRIESSCHE, R., 25:507
VITOUSEK, PETER M., 25:605
WAGLE, R. F., 25:123
WALTERS, J., 25:161
WARREN, S. R., 25:129
WEBER, DAVID E., 25:393
WENSEL, LEE C., 25:399
WEST, D. C., 25:120
WEYRICK, RICHARD, 25:282
WHITE, GORDON, 25:154
WHITE, T. L., 25:161
WIANT, HARRY V., JR., 25:167
WILKINSON, R. C., 25:175
ZAERR, JOE, 25:576
ZARNOCK, S. J., 25:265
ZAVARIN, EUGENE, 25:20
ZAVITKOVSKI, J., 25:383

Forest Science

Volume 25, 1979

William K. Ferrell — *Editor*

William P. Everard — *Staff Editor*

Nancy Hill — *Business Manager*

FOREST SCIENCE is published quarterly by the Society of American Foresters with the cooperation of forestry research and educational organizations.

The journal assumes no responsibility for the statements and opinions expressed by contributors. The editors cannot be responsible for loss or damage of manuscripts and accompanying matter.

Correspondence concerning manuscripts submitted for publication should be addressed to Dr. Gregory N. Brown, School of Forestry, University of Minnesota, St. Paul, MN 55108.

Other correspondence, including subscriptions, remittances, reprint orders, proof, and inquiries concerning the status of manuscripts accepted for publication should be addressed to the Society of American Foresters, 5400 Grosvenor Lane, Washington, D.C. 20014.

For all subscribers except members of the Society of American Foresters, subscription price, which includes any *Forest Science Monographs* issued during the year, is $26 per year postpaid for institutions in the U.S. ($30 for institutions in foreign countries) and $16 for nonmember individuals in the U.S. ($20 for nonmember individuals in foreign countries): for Society members the respective prices are $12 and $16. Missing issues covered by paid subscription will be replaced without charge if claim is made within 90 days after date of issue for addresses in the U.S. and Canada; elsewhere within 7 months. Otherwise payment of the single-issue price will be required.

The pages of FOREST SCIENCE are open to all qualified contributors. Preference will be given to papers dealing with (a) basic research, (b) research techniques and procedures, and (c) subjects fundamental to forestry such as forest soils, forest tree physiology, forest genetics, biometrics, theoretical forest economics, wood anatomy and chemistry, forest insects, and the diseases of forest trees. A charge of $50 per page to cover printing costs (but no editorial or distribution costs, or costs of reprints) will be made against the author or his agency.

Published by the
SOCIETY OF AMERICAN FORESTERS
5400 Grosvenor Lane
Washington, D.C. 20014

Table of Contents, Volume 25

Number 1, March 1979

Genetic variation in volume growth of eastern white pine ..... *David T. Funk* 2

Estimation of "small area" multipliers for the wood processing sector—an econometric approach ..... *Kent P. Connaughton, William McKillop* 7

Yield prediction for unthinned natural slash pine stands ..... *H. T. Schreuder, W. L. Hafley, F. A. Bennett* 25

Wood decays, root rots, and stand composition along an elevation gradient ..... *Stephen D. Hobbs, Arthur D. Partridge* 31

A spread and intensification model for southwestern dwarf mistletoe in ponderosa pine ..... *Gary E. Dixon, Frank G. Hawksworth* 43

A method for visual estimation of leaf area ..... *B. A. Carbon, G. A. Bartle, A. M. Murray* 53

A distance-independent tree model for exotic conifer plantations in East Africa ..... *Denis Alder* 59

A field technique for measuring $^{14}CO_2$ absorption by excised or intact conifer needles ..... *Daniel Auclair* 72

Patterns of water use by shrubs in southern California ..... *Philip C. Miller, Dennis K. Poole* 84

Atrazine improves survival and growth of ponderosa pine threatened by vegetative competition and pocket gophers ..... *Glenn L. Crouch* 99

Effect of fertilization on nutrient concentrations of white spruce foliage and bark ..... *V. R. Timmer* 115

A controlled burn reduces the impact of a subsequent wildfire in a ponderosa pine vegetation type ..... *R. F. Wagle, Thomas W. Eakle* 123

Stem dimensional fluctuations in Douglas-fir of different crown classes ..... *James P. Lassoie* 132

Site index of Sitka spruce along the Pacific Coast related to latitude and temperatures ..... *Wilbur A. Farr, A. S. Harris* 145

Nutrient composition of sycamore blades, petioles, and whole leaves ..... *Sharon G. Haines, L. Wayne Haines, Gordon White* 154

Effects of provenance, years, and planting location on bud burst of Douglas-fir ..... *T. L. White, K. K. Ching, J. Walters* 161

Fertilization increases growth of loblolly pine and ground cover vegetation on a Cecil soil ..... *L. Wayne Haines, Sharon G. Haines* 169

Oleoresin characteristics of eastern white pine seed sources and relationship to weevil resistance ..... *M. R. Bridgen, J. W. Hanover, R. C. Wilkinson* 175

Association of *Plagithmysus bilineatus* (Coleoptera: Cerambycidae) and *Phytophthora cinnamomi* with the decline of 'Ōhi'a-lehua forests on the island of Hawaii ..... *Richard P. Papp, John T. Kliejunas, Richard S. Smith, Jr., Robert F. Scharpf* 187

Isozyme variations in populations of southern pine beetles ..... *G. Namkoong, J. H. Roberds, L. B. Nunnally, H. A. Thomas* 197

Notes

Analysis of terpenoids from seedcoats as a means of identifying seed origin ..... *Eugene Zavarin, Karel Snajberk, Peter Senter* 20

Lightwood induction and associated beetle attacks on slash pine ..... *S. E. Goldman, G. D. Cleveland, J. A. Parker* 80

Seed tree, vacuum, and temperature effects on eastern cottonwood seed viability during extended storage ..... *C. G. Tauer* 112

Size and pattern of simulated forest stands ..... *H. H. Shugart, D. C. West* 120

The occurrence of compression-wood streaks in western hemlock ..... *R. M. Kellogg, S. R. Warren* 129

Percent bias and standard error in logarithmic regression ..... *Harry V. Wiant, Jr., E. James Harner* 167

Specific leaf area of Douglas-fir reproduction as affected by light and needle age ..... *Ernest Del Rio, Alan Berg* 183

Reviews

Soil organisms as components of ecosystems. *Reviewed by J. B. Cragg* 58

A review of chlorinated phenoxy acids and their dioxins. *Reviewed by Logan A. Norris* 203

Number 2, June 1979

Derivation of root contact probability ---- *A. J. Thomson* 206

Predictors of southern pine beetle flight activity ---- *J. C. Moser, T. R. Dell* 217

An approximation of basal area growth after thinning based on growth in unthinned plantations ---- *L. V. Pienaar* 223

Development of dwarf mistletoe infections on western hemlock in coastal Oregon ---- *L. R. Carpenter, E. E. Nelson, J. L. Stewart* 237

Water and mineral nutrient transfer between root systems of juvenile *Populus* ---- *Edward A. Hansen, Richard E. Dickson* 247

Possible allelopathic effects of reindeer-moss (*Cladonia*) on jack pine and white spruce ---- *R. F. Fisher* 256

Susceptibility of native conifers to laminated root rot east of the Cascade Range in Oregon and Washington ---- *Gregory M. Filip, Craig L. Schmitt* 261

Viability tests to evaluate pollen reliability in loblolly pine controlled pollinations ---- *G. Sam Foster, Floyd Bridgwater* 270

A basal area ratio predictor of loblolly pine plantation mortality ---- *Glenn R. Glover, James N. Hool* 275

Nitrification and succession in the Piedmont of North Carolina ---- *Reuben A. Montes, Norman L. Christensen* 287

Foliar weight and area related to current sapwood area in oak ---- *Robert Rogers, Thomas M. Hinckley* 298

Seed dormancy in sugar maple ---- *Carol A. Janerette* 307

Attitudes towards clearcutting and their relationships to the patterning and diversity of forest recreation activities ---- *Ralph L. Levine, Edward E. Langenau, Jr.* 317

Phytotoxicity and distribution of cadmium in pin oak seedlings determined by mode of entry ---- *Frank Russo, Eileen Brennan* 328

Effects of camping recreation on soil, jack pine, and understory vegetation in a northwestern Ontario park ---- *T. D. W. James, D. W. Smith, E. E. Mackintosh, M. K. Hoffman, P. Monti* 333

Comparative distribution of ectomycorrhizae in soils of three western Montana forest habitat types ---- *A. E. Harvey, M. J. Larsen, M. F. Jurgensen* 350

Seasonal changes in within-canopy allocation of ^{14}C-photosynthate by white oak ---- *S. B. McLaughlin, R. K. McConathy, B. Beste* 361

Seasonal and diurnal patterns and rates of nitrogen fixation by young red alder ---- *L. N. Tripp, D. F. Bezdicek, P. E. Heilman* 371

Notes

Effects of shaking and shading on growth of three hardwood species ---- *W. Clark Ashby, Clay A. Kolar, Thomas R. Hendricks, Robert E. Phares* 212

Predicting daily radial growth of chestnut oak and pitch pine on a dry mountain site ---- *Harald M. Rauscher, David Wm. Smith* 232

Litter removal impairs growth of direct-seeded Norway spruce ---- *Ralph D. Nyland, Albert L. Leaf, Donald H. Bickelhaupt* 244

A method for estimating the probability of southern pine beetle outbreaks ---- *R. F. Daniels, W. A. Leuschner, S. J. Zarnoch, H. E. Burkhart, R. R. Hicks* 265

Seasonal changes in electrical resistance of inner bark in red oak, red maple, and eastern white pine ---- *Weston Davis, Alex Shigo, Richard Weyrick* 282

A model for estimating branch weight and branch leaf weight in biomass studies ---- *Alan R. Ek* 303

Barrier zones in red maple: an optical and scanning microscope examination ---- *J. Mulhern, W. Shortle, A. Shigo* 311

Germination and early seedling growth of four conifers on acidic and alkaline substrates ---- *Zoheir M. Abouguendia, Robert E. Redmann* 358

Manuscript reviewers, 1978 ---- 252

Summary of a workshop on forest meteorology, research needs for an energy and resource limited future ---- 297

Review

Waldbau auf soziologisch-ökologischer Grundlage (Silviculture on a sociological-ecological foundation). *Reviewed by Richard K. Hermann* ---- 349

Number 3, September 1979

Energy production in irrigated, intensively cultured plantations of *Populus* 'Tristis #1' and jack pine ..... *J. Zavitkovski* 383

The effect of simulated acid rain on seedling emergence and growth of eleven woody species ..... *Jeffrey J. Lee, David L. Weber* 393

An application of multivariate statistics to land-use planning: Classifying land units into homogeneous zones..... *Philip N. Omi, Lee C. Wensel, James L. Murphy* 399

Shrub production and biomass trends following five logging treatments within the cedar-hemlock zone of northern Idaho ..... *Larry L. Irwin, James M. Peek* 415

Broadcast burning: 25-year effects on forest soils in the western flanks of the Cascade Mountains ..... *James F. Kraemer, Richard K. Hermann* 427

On the convergence of forest stand spatial pattern over time: The case of random initial spatial pattern ..... *Brian M. Kent, Peter Dress* 445

Caloric values for young sprouts of nine hardwood species ..... *M. Neenan, K. Steinbeck* 455

Sulfur requirements of nitrogen fertilized Douglas-fir ..... *John Turner, Marcia J. Lambert, Stanley P. Gessel* 461

A discriminant function for identifying mixed-oak stand susceptibility to gypsy moth defoliation ..... *Harry T. Valentine, David R. Houston* 468

Analyzing slack-pulling forces in manually operated skyline logging systems ..... *R. H. Iff* 475

The chilling requirement of western hemlock seedlings..... *Eric A. Nelson, Denis P. Lavender* 485

The attractiveness of woodlands: Perceptions of forest landowners in Massachusetts ..... *Robert O. Brush* 495

Relationship of stem electrical impedance and water potential of Douglas-fir seedlings to survival after cold storage ..... *R. van den Driessche, K-W Cheung* 507

Stand density management: An alternative approach and its application to Douglas-fir plantations ..... *T. John Drew, James W. Flewelling* 518

Notes

Effect of planting stock length and spacing on growth of black cottonwood ..... *Paul E. Heilman, Gorden Ekuan* 439

Effects of juglone on the growth of coniferous seedlings ..... *David T. Funk, Paula J. Case, W. J. Rietveld, Robert E. Phares* 452

Dormancy and root growth capacity of white and sawtooth oaks ..... *R. E. Farmer, Jr.* 491

Reviews

Tropical trees as living systems. *Reviewed by Thomas R. Crow* 382

Photomicrographs of world woods. *Reviewed by Robert L. Krahmer* 444

Tropical trees and forests. An architectural analysis. *Reviewed by Nellie M. Stark* 484

Announcements

"Control of shoot growth in trees"—IUFRO Workshop, July 20–24, 1980..... 392

University of Kentucky hosts national symposium on surface mining hydrology, sedimentology, and reclamation, December 4–7, 1979 414

ERRATUM 532

Number 4, December 1979

Implications of goal programming in forest resource allocation ..... *A. Allen Dyer, John Gerrit Hof, James W. Kelly, Sarah A. Crim, Gregory S. Alward* 535

Southern pine beetle: factors influencing the growth and decline of summer infestations in east Texas ..... *Roy L. Hedden, Ronald F. Billings* 547

Identification of tobacco necrosis virus in deteriorating clones of aspen ..... *Craig R. Hibben, Robert F. Bozarth, Judith Reese* 557

Stimulation of resinosis and apparent inhibition of blue stain development in ponderosa pine by paraquat ..... *Frank Kidd, C. P. P. Reid* 569

Controlled moisture stress to improve cold hardiness and morphology of Douglas-fir seedlings ..... *John Blake, Joe Zaerr, Stephen Hee* 576

Ectomycorrhizal inoculation of containerized Douglas-fir and lodgepole pine seedlings with six isolates of *Pisolithus tinctorius* ..... *Randy Molina* 585

Correlation of seed weight and nurserybed traits with 5-, 10-, and 15-year volumes in a loblolly pine progeny test ..... *John F. Robinson, J. P. van Buijtenen* 591

Growth responses of northern hardwoods to fertilization ..... *R. Lea, W. C. Tierson, A. L. Leaf* 597

Nitrate losses from disturbed forests: patterns and mechanisms ..... *Peter M. Vitousek, Jerry M. Melillo* 605

A technique for estimating timber value based on tree size, management variables, and market conditions ..... *David H. Jackson, Alan G. McQuillan* 620

Economic impacts of controlling soil loss from silvicultural activities in east Texas ..... *Clifford A. Hickman, Ben D. Jackson* 627

A monthly model of the United States demand for softwood lumber imports ..... *Joseph Buongiorno, Jieh-Jen Chou, Robert N. Stone* 641

Stand and site conditions related to southern pine beetle susceptibility *Ronald J. Kushmaul, Michael D. Cain, Charles E. Rowell, Richard L. Porterfield* 656

Optimizing thinning in Douglas-fir with three-descriptor dynamic programming to account for accelerated diameter growth ..... *J. Douglas Brodie, Chiang Kao* 665

Continuous forest inventory using a linear filter ..... *Bruce L. Dixon, Richard E. Howitt* 675

Notes

Field measurement of conifer oleoresin viscosity and density ..... *William W. Elam, John D. Hodges, Harold A. Koelling* 543

Acid phosphatase activity in forest soil ..... *Iwan Ho* 567

Determining sample size in throughfall studies ..... *D. L. Peterson, G. L. Rolfe* 582

Determination of optimal thinning entry interval using dynamic programming ..... *Chiang Kao, J. Douglas Brodie* 672

Review

Coniferen im westlichen Malayischen Archipel. Studien zu ihrer Verbreitung und Oekologie innerhalb der vollhumiden suedostasiatischen Tropen. *Reviewed by Richard K. Hermann* 534

Announcement

International symposium about air pollution and forests set for June 22–28, 1980 626

Key-word index 690

Author index 705

Erratum 596

Forest Science Monograph 21: Early vegetation and nutrient dynamics following the 1971 Little Sioux forest fire in northeastern Minnesota. By Lewis F. Ohmann and David F. Grigal. (Mailed concurrently with this issue of *Forest Science* as a separate.)